Michigan
Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution										
County	Number Included in Analysis (3)	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown		
	Allalysis (3)	%	%	%	%	%	%	%		
Alcona	194	93.3	0.0	2.1	0.0	0.0	4.6	0.0		
Alger	199	79.4	0.0	0.5	1.5	1.0	17.6	0.0		
Allegan	6,346	53.7	2.7	37.6	0.0	1.9	4.0	0.1		
Alpena	777	91.5	0.0	2.1	0.0	0.4	6.0	0.0		
Antrim	559	93.0	0.0	4.3	0.0	0.0	2.7	0.0		
Arenac	541	91.1	0.0	3.5	0.0	0.0	5.4	0.0		
Baraga	288	45.5	0.0	1.7	5.9	0.0	46.9	0.0		
Barry	1,414	91.2	0.5	4.6	0.1	0.4	3.2	0.1		
Bay	2,733	70.8	1.5	16.3	0.1	0.0	11.3	0.0		
Benzie	476	81.5	0.2	10.9	0.6	0.0	6.1	0.6		
Berrien	4,025	45.0	40.4	5.9	0.1	0.8	7.8	0.0		
Branch	1,676	78.8	0.6	15.9	0.1	0.6	3.9	0.2		
Calhoun	4,387	55.7	17.9	10.7	0.1	2.2	13.3	0.1		
Cass	1,962	52.4	6.1	33.0	0.3	0.4	7.1	0.7		
Charlevoix	611	85.6	0.8	4.4	0.3	0.2	8.7	0.0		
Cheboygan	605	82.3	0.3	2.0	0.2	0.0	15.0	0.2		
Chippewa	1,120	46.7	0.6	3.1	18.5	1.2	29.9	0.0		
Clare	951	89.0	0.4	4.5	0.0	0.3	5.8	0.0		
Clinton	943	81.3	1.9	11.0	0.2	0.2	5.3	0.0		

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 3 / 26 / 11

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Michigan
Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Crawford	334	92.2	0.9	1.5	0.0	0.0	5.4	0.0
Delta	1,030	83.9	0.2	2.0	1.0	0.0	12.9	0.0
Dickinson	635	88.2	0.3	2.8	0.0	0.3	8.2	0.2
Eaton	1,626	81.5	4.2	7.6	0.0	0.4	6.0	0.1
Emmet	845	88.2	0.6	1.3	1.9	0.8	7.2	0.0
Genesee	10,927	49.6	40.7	4.0	0.1	0.2	5.4	0.0
Gladwin	700	97.7	0.1	1.1	0.1	0.4	0.4	0.0
Gogebic	374	82.9	0.0	2.4	4.8	0.0	9.9	0.0
Gr Travers	1,937	86.6	0.6	6.5	0.2	0.2	6.0	0.0
Gratiot	1,221	79.0	0.1	18.1	0.0	0.0	2.8	0.0
Hillsdale	1,282	92.4	0.1	3.7	0.1	0.0	3.7	0.0
Houghton	884	92.3	0.5	1.0	0.0	2.5	3.7	0.0
Huron	850	90.0	0.4	6.0	0.2	0.4	3.1	0.0
Ingham	6,694	37.0	25.8	21.2	0.0	3.7	12.2	0.0
Ionia	1,612	79.4	0.3	16.2	0.1	0.1	4.0	0.0
losco	578	88.6	1.6	4.8	0.2	0.3	4.5	0.0
Iron	334	88.9	0.0	4.5	0.3	0.0	6.3	0.0
Isabella	1,462	85.2	3.4	3.8	1.0	0.7	5.9	0.0
Jackson	4,741	64.6	12.0	9.3	0.1	0.4	13.6	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 3 / 26 / 11

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Michigan
Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

Page: Run Date: 3 / 26 / 11

	Comparison of Racial and Ethnic Distribution										
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %			
					+						
Kalamazoo	6,442	42.1	30.4	12.8	0.1	1.0	13.6	0.0			
Kalkaska	490	91.2	0.0	3.3	0.0	0.2	5.1	0.2			
Kent	19,378	34.4	19.0	36.5	0.1	1.7	8.4	0.0			
Lake	286	59.8	17.5	3.8	0.3	0.0	18.5	0.0			
Lapeer	2,127	72.0	0.5	20.6	0.0	0.0	6.8	0.0			
Leelanau	281	45.6	0.4	35.2	8.9	0.4	9.3	0.4			
Lenawee	2,114	67.9	0.7	24.1	0.0	0.1	7.1	0.0			
Livingston	1,771	90.9	0.7	4.5	0.1	0.8	3.0	0.0			
Luce	251	80.1	0.0	0.8	2.0	0.0	17.1	0.0			
Mackinac	220	45.0	0.9	4.1	1.8	0.5	47.7	0.0			
Macomb	12,055	59.9	19.7	6.9	0.0	3.3	10.1	0.0			
Manistee	515	71.8	0.0	11.7	0.0	0.2	16.3	0.0			
Marquette	1,245	83.4	1.0	3.2	0.3	0.1	12.0	0.0			
Mason	840	78.2	0.7	14.2	0.1	0.6	6.2	0.0			
Mecosta	1,138	85.2	3.5	2.8	0.1	0.0	8.3	0.1			
Menominee	439	76.1	0.0	3.4	5.9	0.0	14.6	0.0			
Midland	1,790	91.2	1.0	1.7	0.0	0.6	5.5	0.0			
Missaukee	269	86.6	0.0	11.2	0.0	0.0	2.2	0.0			
Monroe	3,155	79.0	4.4	7.9	0.0	0.4	8.0	0.2			

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



⁽³⁾ Excludes records with errors. Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B **2010 Pediatric Nutrition Surveillance** (1) Michigan Comparison of Racial and Ethnic Distribution by County

Children Aged < 5 Years (2)

Page: Run Date: 3 / 26 / 11

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Montcalm	1,732	88.6	0.3	7.0	0.3	0.2	3.3	0.2
Montmorenc	231	96.1	0.0	2.2	0.4	0.0	1.3	0.0
Muskegon	6,446	52.1	24.3	12.8	0.1	0.2	10.4	0.0
Newaygo	1,828	74.3	0.2	21.0	0.1	0.1	4.3	0.1
Oakland	15,958	45.0	33.3	13.8	0.1	2.1	5.7	0.0
Oceana	1,160	45.7	0.2	51.2	0.0	0.1	2.8	0.1
Ogemaw	570	91.4	0.4	3.2	0.0	0.0	4.9	0.2
Ontonagon	133	91.7	0.0	5.3	0.0	0.0	3.0	0.0
Osceola	749	92.9	0.9	2.0	0.1	0.0	4.0	0.0
Oscoda	187	90.9	0.5	4.3	0.0	0.0	4.3	0.0
Otsego	800	92.9	0.1	1.9	0.1	0.0	5.0	0.0
Ottawa	2,391	85.2	1.5	7.6	0.0	0.5	5.0	0.2
Presque Is	220	91.4	0.0	1.8	0.0	0.0	6.8	0.0
Roscommon	543	94.8	0.0	0.7	0.4	0.7	3.3	0.0
Saginaw	6,279	36.8	37.5	19.0	0.0	0.5	6.2	0.0
Sanilac	1,070	87.7	0.0	8.0	0.1	0.1	4.1	0.0
Schoolcraf	237	63.7	0.0	1.7	4.6	0.0	30.0	0.0
Shiawassee	1,718	87.1	0.3	5.9	0.0	0.1	6.4	0.1
St Clair	3,619	75.2	4.6	8.0	0.1	0.2	11.9	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Michigan
Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
St Joseph	2,258	67.7	3.4	23.5	0.0	0.1	5.3	0.0
Tuscola	1,525	87.6	0.9	7.5	0.1	0.2	3.7	0.0
Van Buren	2,789	50.6	4.9	38.5	0.1	0.0	5.6	0.2
Washtenaw	5,174	34.4	37.8	12.1	0.5	3.5	11.7	0.0
Wayne	53,459	26.0	55.2	12.8	0.1	2.6	3.3	0.0
Wexford	1,338	89.6	0.3	4.4	0.1	0.4	5.1	0.1
Unknown Counties	207	33.8	23.7	10.6	4.3	3.4	24.2	0.0
Michigan	235,300	51.6	25.2	14.4	0.2	1.5	7.0	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0



Page:

Run Date: 3 / 26 / 11

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Comparison of Age Distribution										
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months							
	(3,4)	%	%	%							
Alcona	194	27.3	26.8	45.9							
Alger	199	31.7	21.6	46.7							
Allegan	6,346	25.0	24.3	50.8							
Alpena	777	32.6	19.6	47.9							
Antrim	559	31.1	18.4	50.4							
Arenac	541	23.8	21.4	54.7							
Baraga	288	28.5	21.2	50.3							
Barry	1,414	27.8	21.4	50.8							
Bay	2,733	31.5	21.4	47.0							
Benzie	476	29.4	20.2	50.4							
Berrien	4,025	30.2	23.2	46.7							
Branch	1,676	31.0	20.5	48.4							
Calhoun	4,387	31.5	21.0	47.5							
Cass	1,962	27.3	21.9	50.8							
Charlevoix	611	31.9	17.3	50.7							
Cheboygan	605	31.1	18.5	50.4							
Chippewa	1,120	30.4	21.6	47.9							
Clare	951	27.8	23.2	49.0							

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Comparison of Age Distribution										
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months							
	(3,4)	%	%	%							
Clinton	943	33.4	20.4	46.2							
Crawford	334	25.7	29.0	45.2							
Delta	1,030	30.7	21.0	48.3							
Dickinson	635	27.1	22.5	50.4							
Eaton	1,626	31.7	23.2	45.0							
Emmet	845	32.1	17.8	50.2							
Genesee	10,927	36.7	20.6	42.7							
Gladwin	700	25.9	22.4	51.7							
Gogebic	374	32.1	18.2	49.7							
Gr Travers	1,937	29.7	21.5	48.8							
Gratiot	1,221	30.0	21.0	49.1							
Hillsdale	1,282	32.5	17.9	49.6							
Houghton	884	31.4	18.8	49.8							
Huron	850	36.1	17.6	46.2							
Ingham	6,694	33.1	21.7	45.2							
Ionia	1,612	26.1	23.9	50.0							
losco	578	36.3	17.6	46.0							
Iron	334	28.1	26.3	45.5							

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Com	nparison of Age Dis	tribution	
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Isabella	1,462	30.2	24.0	45.8
Jackson	4,741	30.0	22.4	47.6
Kalamazoo	6,442	31.9	20.0	48.1
Kalkaska	490	24.3	26.5	49.2
Kent	19,378	30.4	21.1	48.5
Lake	286	19.2	27.3	53.5
Lapeer	2,127	29.0	23.3	47.7
Leelanau	281	26.3	23.1	50.5
Lenawee	2,114	35.5	21.8	42.7
Livingston	1,771	28.2	26.2	45.6
Luce	251	29.1	23.1	47.8
Mackinac	220	21.8	19.5	58.6
Macomb	12,055	35.2	24.9	40.0
Manistee	515	27.6	22.1	50.3
Marquette	1,245	30.4	24.4	45.2
Mason	840	27.0	25.7	47.3
Mecosta	1,138	31.9	21.7	46.4
Menominee	439	34.2	19.6	46.2

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

Comparison of Age Distribution										
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months						
	(3,4)	%	%	%						
Midland	1,790	27.7	24.5	47.8						
Missaukee	269	28.6	22.3	49.1						
Monroe	3,155	33.8	22.3	43.9						
Montcalm	1,732	32.3	20.6	47.1						
Montmorenc	231	25.1	17.7	57.1						
Muskegon	6,446	29.1	22.4	48.5						
Newaygo	1,828	24.7	21.7	53.7						
Oakland	15,958	37.3	19.9	42.7						
Oceana	1,160	27.8	20.4	51.7						
Ogemaw	570	31.8	18.9	49.3						
Ontonagon	133	24.8	16.5	58.6						
Osceola	749	28.2	21.2	50.6						
Oscoda	187	36.4	21.4	42.2						
Otsego	800	30.1	22.3	47.6						
Ottawa	2,391	24.1	23.3	52.7						
Presque Is	220	27.7	18.2	54.1						
Roscommon	543	27.8	25.6	46.6						
Saginaw	6,279	31.1	20.3	48.7						

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Con	nparison of Age Dist	ribution	
County	Number Included in	0 - 11 Months	12 - 23 Months	24 - 59 Months
	Analysis (3,4)	%	%	%
Sanilac	1,070	33.0	22.1	45.0
Schoolcraf	237	29.1	22.8	48.1
Shiawassee	1,718	24.9	23.1	52.0
St Clair	3,619	31.1	22.9	46.1
St Joseph	2,258	29.5	21.6	48.9
Tuscola	1,525	27.3	21.8	50.9
Van Buren	2,789	28.9	20.8	50.4
Washtenaw	5,174	34.7	21.2	44.1
Wayne	53,459	35.8	21.5	42.8
Wexford	1,338	31.2	21.4	47.4
Unknown Counties	207	28.0	18.4	53.6
Michigan	235,300	32.5	21.7	45.9
Nation (Prior Year)	8,938,527	34.5	22.6	42.9



Page:

Run Date:

10

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 11 Run Date: 3 / 26 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)			
		Birthweight	(5)			Не	eight and V	Veight			A	Anemia	
		Low	High		Short Stature (6)	Under- weight (7)			> 2 Yrs Over- weight (7)		Low	Hb/Hct (8)	
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)	
Alcona	28	* *	* *	192	5.7 (60)	5.2 (75)	8.9 (5)	88	* *	* *	132	15.9 (71)	
Alger	34	* *	* *	199	3.5 (9)	0.5 (1)	15.6 (74)	94	* *	* *	114	4.4 (11)	
Allegan	1,047	7.9 (32)	7.9 (25)	6,225	3.5 (9)	3.5 (50)	11.9 (28)	3,167	17.0 (39)	14.1 (41)	3,985	20.1 (75)	
Alpena	151	8.6 (40)	13.9 (54)	772	4.4 (23)	2.5 (20)	12.6 (36)	367	14.2 (10)	16.3 (67)	413	4.4 (11)	
Antrim	90	* *	* *	549	4.9 (40)	5.5 (76)	12.9 (46)	281	16.0 (29)	11.0 (9)	343	8.2 (35)	
Arenac	77	* *	* *	531	7.7 (80)	2.8 (33)	12.4 (35)	289	17.6 (47)	13.1 (26)	317	4.4 (11)	
Baraga	50	* *	* *	283	4.2 (18)	2.8 (33)	17.0 (82)	145	17.2 (44)	19.3 (76)	147	7.5 (31)	
Barry	237	5.5 (5)	10.5 (48)	1,375	4.1 (15)	3.8 (60)	10.2 (9)	717	17.0 (39)	10.3 (7)	800	5.4 (18)	
Bay	513	7.8 (29)	8.8 (32)	2,707	5.5 (54)	2.7 (27)	11.9 (28)	1,256	16.5 (32)	13.8 (33)	1,648	15.2 (67)	
Benzie	79	* *	* *	463	5.4 (51)	5.8 (80)	14.5 (64)	228	15.4 (19)	14.0 (39)	298	5.7 (20)	
Berrien	790	9.1 (45)	8.0 (27)	3,962	5.5 (54)	1.8 (7)	12.8 (44)	1,848	17.5 (46)	13.8 (33)	2,377	10.6 (46)	

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 12 Run Date: 3 / 26 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)			
		Birthweight	(5)			Не	eight and V	Veight			۸.,	Anemia	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)	
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)	
Branch	269	6.7 (18)	8.6 (30)	1,654	5.3 (49)	2.8 (33)	14.2 (61)	808	16.8 (35)	13.7 (31)	989	3.8 (6)	
Calhoun	801	7.2 (24)	7.2 (18)	4,328	5.6 (59)	2.7 (27)	15.8 (75)	2,046	18.3 (58)	15.0 (57)	2,599	16.2 (72)	
Cass	280	6.8 (20)	9.6 (42)	1,936	4.5 (25)	3.6 (53)	13.3 (52)	986	13.0 (3)	12.9 (23)	1,229	33.0 (82)	
Charlevoix	98	* *	* *	597	5.7 (60)	5.0 (73)	10.9 (18)	306	15.4 (19)	11.1 (10)	370	5.1 (16)	
Cheboygan	97	* *	* *	596	3.2 (5)	3.2 (43)	12.6 (36)	303	13.5 (7)	14.9 (56)	322	9.0 (40)	
Chippewa	182	3.3 (1)	11.5 (51)	1,109	4.6 (29)	4.0 (64)	14.9 (69)	525	16.6 (33)	16.0 (65)	685	6.6 (29)	
Clare	180	7.8 (29)	5.0 (3)	938	6.0 (65)	4.1 (65)	11.4 (23)	456	14.9 (15)	14.5 (50)	580	8.8 (38)	
Clinton	154	7.8 (29)	9.1 (37)	930	5.4 (51)	2.5 (20)	13.7 (58)	435	14.9 (15)	14.0 (39)	571	4.9 (15)	
Crawford	56	* *	* *	329	4.6 (29)	1.5 (3)	12.2 (33)	152	23.0 (75)	15.1 (58)	225	14.2 (64)	
Delta	142	5.6 (6)	10.6 (49)	1,021	5.2 (47)	2.8 (33)	12.6 (36)	491	15.9 (27)	15.5 (62)	639	2.5 (4)	
Dickinson	114	7.0 (21)	7.9 (25)	630	4.8 (36)	2.2 (11)	13.2 (49)	320	15.9 (27)	14.7 (53)	373	7.8 (33)	

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 13 Run Date: 3 / 26 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				•
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Eaton	304	4.3 (2)	5.6 (4)	1,602	4.5 (25)	3.6 (53)	11.9 (28)	714	19.5 (64)	14.7 (53)	926	6.3 (24)
Emmet	134	6.7 (18)	10.4 (47)	833	4.7 (34)	2.3 (13)	14.2 (61)	416	20.0 (68)	15.9 (64)	507	4.5 (14)
Genesee	2,202	10.4 (55)	4.9 (2)	10,733	5.0 (41)	3.7 (56)	13.2 (49)	4,595	15.7 (24)	13.2 (27)	6,306	15.7 (69)
Gladwin	119	10.1 (54)	9.2 (38)	693	5.5 (54)	2.7 (27)	12.3 (34)	358	19.8 (67)	12.8 (21)	415	12.3 (54)
Gogebic	68	* *	* *	370	4.6 (29)	1.6 (6)	12.7 (42)	189	19.6 (65)	14.3 (44)	188	4.3 (9)
Gr Travers	376	6.4 (13)	8.8 (32)	1,899	5.2 (47)	6.6 (81)	10.5 (12)	931	17.1 (41)	11.8 (15)	1,088	11.0 (51)
Gratiot	170	7.6 (28)	7.6 (23)	1,198	6.7 (75)	3.3 (45)	13.5 (53)	581	12.6 (2)	14.5 (50)	710	5.6 (19)
Hillsdale	214	7.0 (21)	12.6 (52)	1,275	6.0 (65)	2.0 (10)	11.6 (24)	626	17.7 (48)	14.2 (43)	784	2.2 (3)
Houghton	149	8.7 (42)	10.1 (45)	877	6.0 (65)	2.3 (13)	10.6 (13)	436	13.1 (4)	10.3 (7)	475	6.3 (24)
Huron	175	9.7 (51)	9.7 (43)	838	4.5 (25)	4.4 (68)	13.2 (49)	386	15.5 (23)	12.2 (19)	416	13.5 (60)
Ingham	1,273	8.1 (33)	7.3 (19)	6,611	4.7 (34)	3.9 (62)	13.7 (58)	2,976	16.1 (30)	14.4 (48)	4,017	11.3 (53)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 14 Run Date: 3 / 26 / 11

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ionia	297	5.1 (4)	6.1 (8)	1,589	5.1 (44)	3.7 (56)	10.6 (13)	785	23.9 (76)	11.1 (10)	1,063	9.6 (44)
losco	107	5.6 (6)	15.9 (55)	573	6.5 (72)	4.5 (69)	15.4 (73)	266	17.3 (45)	18.0 (73)	312	14.4 (65)
Iron	53	* *	* *	330	3.6 (12)	2.7 (27)	16.1 (77)	151	20.5 (69)	21.2 (78)	216	4.2 (8)
Isabella	254	8.3 (37)	8.7 (31)	1,439	6.2 (69)	2.8 (33)	13.6 (57)	656	18.1 (56)	17.8 (72)	846	6.1 (23)
Jackson	872	8.6 (40)	8.9 (34)	4,616	4.3 (21)	5.1 (74)	10.8 (17)	2,176	17.1 (41)	14.3 (44)	1,938	10.9 (50)
Kalamazoo	1,175	10.0 (53)	6.4 (13)	6,346	4.3 (21)	4.9 (72)	13.1 (48)	3,046	16.9 (38)	14.1 (41)	3,855	26.6 (81)
Kalkaska	77	* *	* *	482	7.5 (79)	3.3 (45)	9.1 (6)	235	13.2 (6)	11.5 (13)	300	9.0 (40)
Kent	3,214	8.1 (33)	7.4 (20)	19,121	5.7 (60)	2.3 (13)	12.9 (46)	9,263	16.6 (33)	13.9 (35)	11,804	13.1 (59)
Lake	33	* *	* *	275	6.2 (69)	1.5 (3)	13.5 (53)	148	26.4 (77)	12.8 (21)	191	13.6 (61)
Lapeer	367	7.1 (23)	8.2 (29)	2,090	5.4 (51)	3.4 (47)	14.4 (63)	996	18.2 (57)	17.2 (68)	1,315	9.0 (40)
Leelanau	47	* *	* *	271	4.1 (15)	3.7 (56)	15.1 (70)	141	20.6 (70)	12.1 (17)	171	8.2 (35)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 15 Run Date: 3 / 26 / 11

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			Δ.,	emia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lenawee	406	8.1 (33)	6.2 (10)	2,080	4.6 (29)	3.8 (60)	12.6 (36)	897	17.7 (48)	13.9 (35)	1,036	7.0 (30)
Livingston	385	6.0 (11)	9.4 (41)	1,758	4.2 (18)	3.1 (40)	10.6 (13)	802	18.8 (60)	15.1 (58)	1,063	6.4 (26)
Luce	49	* *	* *	245	2.9 (3)	5.7 (79)	13.5 (53)	115	14.8 (14)	18.3 (74)	157	8.9 (39)
Mackinac	36	* *	* *	212	2.8 (2)	1.9 (8)	14.6 (66)	119	29.4 (78)	17.6 (70)	136	5.9 (22)
Macomb	2,624	9.6 (49)	5.7 (6)	11,690	4.8 (36)	3.5 (50)	12.7 (42)	4,734	15.8 (25)	12.9 (23)	6,969	15.1 (66)
Manistee	83	* *	* *	493	6.5 (72)	3.0 (39)	15.8 (75)	245	19.6 (65)	19.6 (77)	314	10.8 (48)
Marquette	226	6.6 (16)	7.5 (21)	1,186	5.1 (44)	3.1 (40)	14.5 (64)	537	17.7 (48)	16.0 (65)	585	12.6 (56)
Mason	147	8.8 (43)	6.1 (8)	818	7.3 (78)	2.4 (17)	11.7 (26)	381	21.8 (73)	13.9 (35)	499	15.6 (68)
Mecosta	205	5.9 (10)	13.7 (53)	1,127	3.3 (6)	2.9 (38)	11.3 (22)	524	21.0 (71)	12.2 (19)	660	10.6 (46)
Menominee	76	* *	* *	436	5.0 (41)	2.5 (20)	13.5 (53)	198	17.7 (48)	13.6 (30)	264	5.7 (20)
Midland	359	8.4 (38)	8.9 (34)	1,766	7.7 (80)	2.5 (20)	16.3 (79)	842	15.4 (19)	14.5 (50)	962	8.6 (37)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 16 Run Date: 3 / 26 / 11

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			٨٠	nemia
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		> 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Missaukee	45	* *	* *	266	3.4 (7)	1.1 (2)	7.9 (3)	129	17.1 (41)	7.0 (2)	168	12.5 (55)
Monroe	596	9.2 (46)	7.6 (23)	3,123	7.1 (77)	2.3 (13)	12.0 (31)	1,371	17.9 (54)	13.3 (28)	1,858	7.7 (32)
Montcalm	325	7.4 (26)	6.2 (10)	1,705	5.9 (64)	3.5 (50)	12.6 (36)	789	15.8 (25)	14.3 (44)	1,038	4.1 (7)
Montmorenc	37	* *	* *	228	4.4 (23)	2.6 (25)	16.2 (78)	130	19.2 (63)	18.5 (75)	125	1.6 (2)
Muskegon	1,192	8.4 (38)	6.9 (15)	6,316	3.5 (9)	3.9 (62)	10.9 (18)	3,082	16.8 (35)	11.4 (12)	3,849	22.4 (78)
Newaygo	269	5.6 (6)	10.0 (44)	1,793	5.0 (41)	2.7 (27)	14.6 (66)	969	19.0 (61)	15.3 (60)	1,124	12.8 (58)
Oakland	3,229	9.6 (49)	6.8 (14)	15,730	5.5 (54)	3.2 (43)	10.9 (18)	6,702	15.2 (17)	13.0 (25)	9,299	14.1 (63)
Oceana	189	9.0 (44)	11.1 (50)	1,133	5.7 (60)	3.4 (47)	15.3 (72)	588	22.4 (74)	17.2 (68)	730	14.0 (62)
Ogemaw	91	* *	* *	564	6.0 (65)	2.7 (27)	15.2 (71)	273	19.0 (61)	17.6 (70)	337	10.1 (45)
Ontonagon	17	* *	* *	133	8.3 (82)	1.5 (3)	16.5 (80)	81	* *	* *	81	* *
Osceola	123	6.5 (14)	16.3 (56)	731	4.2 (18)	2.2 (11)	9.8 (8)	372	16.4 (31)	13.4 (29)	492	18.5 (73)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 17 Run Date: 3 / 26 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Oscoda	35	* *	* *	187	4.8 (36)	4.3 (67)	12.8 (44)	78	* *	* *	103	7.8 (33)
Otsego	140	5.7 (9)	9.3 (39)	788	4.1 (15)	2.4 (17)	12.6 (36)	373	17.7 (48)	13.7 (31)	454	5.3 (17)
Ottawa	387	6.5 (14)	10.1 (45)	2,352	3.1 (4)	3.7 (56)	9.5 (7)	1,234	15.2 (17)	9.8 (5)	1,442	23.8 (80)
Presque Is	37	* *	* *	218	3.7 (13)	5.5 (76)	11.0 (21)	118	13.6 (8)	15.3 (60)	126	12.7 (57)
Roscommon	94	* *	* *	534	6.7 (75)	1.9 (8)	11.8 (27)	243	14.4 (12)	11.9 (16)	328	4.3 (9)
Saginaw	1,096	9.2 (46)	7.5 (21)	6,153	4.6 (29)	3.4 (47)	13.8 (60)	2,999	17.7 (48)	14.4 (48)	3,842	11.1 (52)
Sanilac	197	6.6 (16)	5.6 (4)	1,062	3.4 (7)	5.5 (76)	6.4 (2)	474	10.8 (1)	8.2 (3)	678	3.2 (5)
Schoolcraf	40	* *	* *	232	2.6 (1)	11.6 (83)	4.7 (1)	107	13.1 (4)	3.7 (1)	141	6.4 (26)
Shiawassee	320	7.2 (24)	6.3 (12)	1,673	3.8 (14)	6.8 (82)	10.7 (16)	866	18.5 (59)	13.9 (35)	1,060	1.3 (1)
St Clair	643	9.8 (52)	7.0 (17)	3,567	6.2 (69)	2.6 (25)	10.2 (9)	1,636	14.6 (13)	10.1 (6)	2,145	6.4 (26)
St Joseph	389	8.2 (36)	8.0 (27)	2,228	6.6 (74)	4.2 (66)	14.8 (68)	1,097	21.5 (72)	15.5 (62)	1,348	10.8 (48)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 18 Run Date: 3 / 26 / 11

			Comparis	on of G	rowth ar	nd Aner	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight ₍₇₎		Low H	emia Hb/Hct 8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% - ≥95th (Rank)	Number	% (Rank)
Tuscola	259	5.0 (3)	6.9 (15)	1,510	5.1 (44)	3.1 (40)	8.6 (4)	753	13.8 (9)	9.4 (4)	979	9.5 (43)
Van Buren	452	7.5 (27)	9.3 (39)	2,752	5.3 (49)	2.5 (20)	16.9 (81)	1,381	17.9 (54)	14.8 (55)	1,694	22.3 (77)
Washtenaw	1,012	9.2 (46)	4.7 (1)	5,081	4.8 (36)	3.6 (53)	11.6 (24)	2,230	16.8 (35)	11.6 (14)	3,038	21.9 (76)
Wayne	11,012	11.0 (56)	5.8 (7)	52,455	5.5 (54)	4.7 (71)	12.0 (31)	22,452	14.3 (11)	12.1 (17)	30,061	23.4 (79)
Wexford	244	6.1 (12)	9.0 (36)	1,320	4.5 (25)	2.4 (17)	10.4 (11)	630	15.4 (19)	14.3 (44)	797	19.3 (74)
Unknown Counties	29	* *	* *	173	12.7 (83)	4.6 (70)	31.2 (83)	89	* *	* *	140	15.7 (69)
Michigan	44,244	9.0	7.0	231,205	5.2	3.7	12.4	106,019	16.3	13.3	137,121	15.6
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,21	5 6.0	4.3	14.0	3,678,35	5 16.4	14.7	5,524,196	14.9

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

3 / 26 / 11

			Breastfe	odina				Evolu	oivo P	reastfeedii		<u><</u> 2 Hou		Smoki	
			breastie (6	•				EXCIU	sive b	(7)	ig	Viewin	g/Day 3)	House	ehold
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breas A Lea 3 Mon	stfed t ast s onths	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	nk)		(Rank)		(Rank)		(Rank)
Alcona	29	* *	20	* *	25	* *	14	*	*	19	* *	95	* *	194	9.3 (59)
Alger	34	* *	24	* *	20	* *	16	*	*	23	* *	97	* *	199	6.5 (30)
Allegan	1,077	68.0 (12)	644	23.3 (14)	901	9.4 (25)	392	21.4	(6)	583	7.5 (25)	3,290	85.8 (51)	6,314	4.9 (14)
Alpena	151	48.3 (52)	117	17.1 (35)	104	10.6 (17)	92	*	*	113	8.0 (23)	383	90.9 (17)	777	7.2 (35)
Antrim	91	* *	79	* *	75	* *	57	*	*	74	* *	284	89.1 (31)	555	12.1 (72)
Arenac	77	* *	44	* *	72	* *	36	*	*	41	* *	301	86.4 (48)	538	14.5 (77)
Baraga	50	* *	32	* *	31	* *	27	*	*	27	* *	152	86.8 (44)	287	4.5 (10)
Barry	237	66.7 (15)	201	19.9 (28)	183	6.0 (42)	118	19.5	(12)	180	8.3 (22)	742	86.8 (44)	1,411	6.2 (27)
Bay	513	58.9 (41)	380	15.3 (40)	353	6.5 (39)	302	13.2	(28)	360	3.1 (47)	1,327	92.8 (5)	2,732	7.9 (47)
Benzie	80	* *	44	* *	51	* *	37	*	*	41	* *	244	90.2 (21)	474	3.6 (3)
Berrien	791	47.9 (54)	542	15.9 (37)	577	7.8 (36)	393	12.0	(30)	528	5.5 (36)	1,911	78.5 (74)	4,024	10.5 (66)
Branch	271	59.8 (40)	194	21.6 (22)	196	8.2 (33)	132	13.6	(26)	183	9.8 (15)	846	87.6 (37)	1,672	8.0 (49)
Calhoun	805	49.1 (51)	565	14.9 (42)	523	5.7 (43)	450	8.0	(38)	530	4.3 (42)	2,128	91.7 (11)	4,378	5.2 (18)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

3 / 26 / 11

	-						1				in Housel	(4,0			
			Breastfe (6	eeding 6)				Exclu	isive B	reastfeed (7)	ing	≤2 Hou Viewin (8)		Smok Hous	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le Mo	% stfed at ast ast nths	Numbe	r % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Cass	299		265		275		177			230		1.016		1.052	
		61.9 (36)		25.7 (9)		12.4 (7)		16.4	(16)		10.4 (12)	,	85.4 (53)	1,953	5.7 (23)
Charlevoix	103	69.9 (8)	80		56		59			68		323	90.7 (19)	610	4.6 (11)
Cheboygan	97	* *	75	* *	60	* *	67	*	*	73	* *	313	86.6 (47)	605	7.4 (38)
Chippewa	180	65.0 (23)	151	23.2 (15)	146	8.2 (33)	137	20.4	(8)	137	11.7 (7)	551	87.5 (39)	1,119	8.5 (53)
Clare	180	51.7 (47)	98	* *	153	8.5 (30)	61	*	*	93	* *	484	89.7 (27)	948	14.3 (76)
Clinton	158	69.6 (9)	141	23.4 (13)	112	16.1 (3)	110	15.5	(22)	131	4.6 (41)	451	86.3 (49)	937	4.4 (9)
Crawford	57	* *	32	* *	62	* *	14	*	*	32	* *	160	84.4 (59)	333	10.2 (64)
Delta	142	64.8 (24)	152	20.4 (25)	127	7.9 (35)	102	17.6	(14)	144	9.0 (17)	515	91.7 (11)	1,026	7.1 (33)
Dickinson	114	64.0 (26)	87	* *	89	* *	57	*	*	84	* *	329	87.2 (41)	634	6.6 (31)
Eaton	301	64.8 (24)	234	23.5 (12)	252	10.7 (14)	144	16.0	(20)	213	9.9 (14)	749	88.9 (32)	1,623	4.7 (12)
Emmet	145	77.9 (2)	122	39.3 (1)	88	* *	80	*	*	108	20.4 (1)	431	91.9 (9)	845	4.9 (14)
Genesee	2,210	45.2 (56)	1,668	12.8 (47)	1,289	5.1 (46)	1,305	7.5	(39)	1,612	3.6 (46)	4,746	79.3 (73)	10,880	7.3 (36)
Gladwin	119	65.5 (20)	79	* *	92	* *	41	*	*	73	* *	376	86.7 (46)	699	15.2 (78)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 26 / 11 Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	j, and	d Sm	oking i	n Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeed	ng	≤2 Hou Viewin		Smoki House	
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Brea A Le Mo	ast 3 nths	Number	Breastfed At Least 6 Months	Number	% (Darle)	Number	%
		(Rank)		(Rank)		(Rank)		-	nk)		(Rank)		(Rank)		(Rank)
Gogebic	68	* *	61	* *	37	* *	38	*	*	59	* *	194	89.7 (27)	374	7.0 (32)
Gr Travers	376	78.2 (1)	233	37.3 (2)	264	16.7 (1)	145	32.4	(1)	214	10.3 (13)	960	91.5 (13)	1,932	4.0 (5)
Gratiot	188	62.8 (30)	192	26.6 (8)	165	9.1 (26)	113	20.4	(8)	180	15.0 (3)	615	91.1 (15)	1,220	7.7 (45)
Hillsdale	214	71.0 (6)	170	24.1 (11)	128	10.9 (11)	118	20.3	(10)	163	14.1 (4)	658	90.1 (22)	1,280	6.3 (28)
Houghton	149	73.8 (3)	107	35.5 (4)	76	* *	88	*	*	104	10.6 (10)	457	95.4 (4)	884	1.2 (1)
Huron	175	48.0 (53)	105	18.1 (33)	75	* *	87	*	*	100	5.0 (39)	400	95.5 (2)	848	5.4 (22)
Ingham	1,280	62.8 (30)	923	18.2 (32)	877	9.5 (24)	597	9.0	(34)	874	4.3 (42)	3,102	81.9 (68)	6,677	6.1 (25)
Ionia	299	61.9 (36)	167	14.4 (43)	213	11.7 (8)	94	*	*	163	11.0 (9)	835	96.8 (1)	1,612	7.6 (42)
losco	116	62.1 (34)	86	* *	65	* *	60	*	*	77	* *	276	84.8 (56)	576	10.6 (67)
Iron	53	* *	42	* *	49	* *	24	*	*	36	* *	162	90.7 (19)	334	6.0 (24)
Isabella	255	66.3 (16)	230	24.3 (10)	250	8.8 (28)	147	22.4	(4)	213	11.3 (8)	682	84.3 (60)	1,457	9.1 (56)
Jackson	874	57.3 (43)	738	12.9 (46)	668	9.0 (27)	451	13.3	(27)	711	5.9 (34)	2,284	85.1 (54)	4,722	8.0 (49)
Kalamazoo	1,189	61.3 (38)	810	22.1 (20)	730	10.5 (19)	709	15.8	(21)	762	8.4 (21)	3,193	75.4 (76)	6,433	7.4 (38)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 26 / 11 Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	ı, and	d Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeedi	ng	≤2 Hou Viewin		Smok Hous	
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Numbei	Brea A Le Mo	ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ink)		(Rank)		(Rank)		(Rank)
Kalkaska	78	* *	46	* *	77	* *	18	*	*	45	* *	247	89.5 (30)	485	12.0 (71)
Kent	3,234	62.4 (33)	2,707	21.1 (23)	2,329	10.8 (13)	1,899	12.2	(29)	2,471	8.0 (23)	9,729	85.5 (52)	19,322	4.0 (5)
Lake	33	* *	27	* *	41	* *	13	*	*	25	* *	156	75.0 (77)	285	22.1 (82)
Lapeer	365	63.0 (29)	296	16.6 (36)	319	10.7 (14)	212	11.8	(31)	285	6.3 (31)	1,048	89.7 (27)	2,124	4.2 (8)
Leelanau	47	* *	26	* *	35	* *	16	*	*	24	* *	149	83.2 (65)	281	7.1 (33)
Lenawee	430	66.3 (16)	356	22.2 (18)	310	10.6 (17)	242	14.9	(23)	335	7.5 (25)	931	76.2 (75)	1,978	5.3 (19)
Livingston	385	65.5 (20)	145	20.7 (24)	261	10.0 (22)	73	*	*	139	6.5 (30)	833	91.1 (15)	1,770	5.3 (19)
Luce	49	* *	39	* *	34	* *	27	*	*	37	* *	120	82.5 (67)	251	10.0 (63)
Mackinac	36	* *	21	* *	24	* *	6	*	*	21	* *	134	85.1 (54)	218	10.6 (67)
Macomb	2,632	50.0 (49)	1,681	15.4 (38)	1,952	8.3 (31)	1,352	8.4	(35)	1,575	5.5 (36)	4,940	81.6 (69)	12,007	5.1 (17)
Manistee	83	* *	65	* *	83	* *	32	*	*	61	* *	266	91.4 (14)	515	9.3 (59)
Marquette	226	62.8 (30)	171	22.2 (18)	198	15.7 (4)	121	22.3	(5)	166	12.7 (6)	579	89.8 (26)	1,240	4.1 (7)
Mason	147	66.0 (19)	84	* *	126	11.1 (10)	80	*	*	80	* *	408	90.0 (23)	837	7.8 (46)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 26 / 11 Run Date:

			Breastfe	eeding 6)				Exclu	ısive B	reastfeedii (7)	ng	≤2 Hou Viewin (8)		Smoki House	•
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Numbe	Brea A Le Mo	% astfed ast ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)			ank)		(Rank)	_	(Rank)		(Rank)
Mecosta	205	63.4 (28)	157	20.4 (25)	155	9.7 (23)	120	16.7	(15)	151	9.3 (16)	537	95.5 (2)	1,138	6.4 (29)
Menominee	76	* *	60	* *	51	* *	48	*	*	59	* *	211	90.0 (23)	432	5.3 (19)
Midland	359	68.5 (11)	137	22.6 (17)	251	10.4 (20)	51	*	*	133	9.0 (17)	893	88.0 (36)	1,784	4.7 (12)
Missaukee	45	* *	33	* *	34	* *	20	*	*	32	* *	135	92.6 (6)	268	11.2 (69)
Monroe	596	58.7 (42)	495	13.3 (45)	472	8.3 (31)	387	14.7	(24)	482	6.0 (32)	1,431	82.8 (66)	3,155	7.5 (41)
Montcalm	324	65.4 (22)	185	22.7 (16)	189	6.3 (41)	127	18.1	(13)	175	8.6 (19)	838	87.2 (41)	1,729	8.9 (54)
Montmorenc	37	* *	28	* *	33	* *	21	*	*	28	* *	137	84.7 (58)	231	7.4 (38)
Muskegon	1,193	49.7 (50)	711	13.6 (44)	891	5.3 (45)	556	14.7	(24)	657	4.1 (45)	3,184	86.9 (43)	6,422	7.6 (42)
Newaygo	269	68.8 (10)	174	20.1 (27)	209	11.5 (9)	127	21.3	(7)	168	7.1 (28)	1,018	84.8 (56)	1,823	9.4 (61)
Oakland	3,260	52.7 (46)	2,326	19.3 (30)	1,742	8.8 (28)	1,910	11.0	(32)	2,240	5.8 (35)	7,001	81.6 (69)	15,931	3.9 (4)
Oceana	190	66.3 (16)	129	30.2 (7)	128	16.4 (2)	105	16.2	(18)	124	7.3 (27)	623	81.2 (71)	1,157	7.3 (36)
Ogemaw	92	* *	88	* *	64	* *	60	*	*	77	* *	289	83.7 (63)	568	12.5 (73)
Ontonagon	17	* *	11	* *	11	* *	7	*	*	11	* *	81	* *	133	9.0 (55)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 26 / 11 Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and	d Sm	oking i	in Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeed (7)	ing	≤2 Hou Viewin		Smok Hous	ing in ehold
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breas A Lea 3 Mor	t ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ınk)		(Rank)		(Rank)		(Rank)
Osceola	122	63.9 (27)	76	* *	101	10.9 (11)	64	*	*	75	* *	391	92.3 (8)	749	16.7 (79)
Oscoda	36	* *	23	* *	28	* *	22	*	*	21	* *	81	* *	186	23.7 (83)
Otsego	147	67.3 (13)	103	35.9 (3)	97	* *	72	*	*	89	* *	401	90.8 (18)	793	12.5 (73)
Ottawa	391	73.1 (4)	223	31.4 (6)	344	14.8 (6)	140	27.1	(2)	214	15.4 (2)	1,285	91.8 (10)	2,377	2.9 (2)
Presque Is	37	* *	22	* *	30	* *	18	*	*	21	* *	124	83.9 (62)	220	20.5 (81)
Roscommon	94	* *	69	* *	86	* *	42	*	*	68	* *	264	88.3 (34)	543	7.9 (47)
Saginaw	1,097	47.9 (54)	683	12.7 (48)	691	5.1 (46)	514	8.2	(37)	645	4.7 (40)	3,153	80.8 (72)	6,197	9.5 (62)
Sanilac	197	60.9 (39)	172	18.6 (31)	126	4.8 (48)	110	16.4	(16)	166	6.0 (32)	479	83.7 (63)	1,054	8.3 (51)
Schoolcraf	40	* *	28	* *	34	* *	18	*	*	28	* *	113	87.6 (37)	237	13.1 (75)
Shiawassee	319	56.7 (44)	125	15.2 (41)	227	10.1 (21)	56	*	*	121	0.8 (49)	915	92.6 (6)	1,713	11.3 (70)
St Clair	641	50.4 (48)	574	12.4 (49)	502	7.4 (37)	362	8.3	(36)	548	4.2 (44)	1,707	88.2 (35)	3,612	10.2 (64)
St Joseph	392	62.0 (35)	287	19.9 (28)	261	7.3 (38)	207	10.1	(33)	272	8.5 (20)	1,156	90.0 (23)	2,255	4.9 (14)
Tuscola	259	56.0 (45)	149	15.4 (38)	186	6.5 (39)	68	*	*	144	6.9 (29)	797	84.2 (61)	1,523	7.6 (42)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 26 / 11 Run Date:

			Breastfe (6	•				Exclu	sive B	reastfeedir	ng	≤2 Hou Viewin		Smoki House	•
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breas Ar Lea 3 Mor	stfed t ast	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	nk)		(Rank)		(Rank)		(Rank)
Van Buren	462	70.6 (7)	381	21.8 (21)	374	10.7 (14)	280	22.9	(3)	334	10.5 (11)	1,430	88.7 (33)	2,776	6.1 (25
Washtenaw	1,015	67.0 (14)	759	31.8 (5)	637	15.1 (5)	571	19.6	(11)	714	13.7 (5)	2,330	86.2 (50)	5,104	9.2 (58
Wayne	11,249	44.0 (57)	7,130	12.4 (49)	6,489	5.6 (44)	5,565	4.6	(40)	6,790	2.6 (48)	23,517	72.6 (78)	53,240	8.4 (52
Wexford	244	72.1 (5)	174	17.8 (34)	148	3.4 (49)	137	16.1	(19)	169	5.3 (38)	658	87.4 (40)	1,337	9.1 (56
Unknown Counties	31	* *	20	* *	11	* *	20	*	*	20	* *	109	54.1 (79)	197	20.3 (80
Michigan	44,728	54.9	31,130	17.8	29,900	8.4	22,987	11.	6	29,396	6.0	110,890	82.5	234,313	7.0
Nation (Prior Year)	1,769,1	60 61.7	911,779	27.0	1,092,5	73 18.5	317,03	7 9.9	9	420,655	5 5.3	1,022,933	77.3	4,355,723	3 10.2



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 26 Run Date: 3 / 26 / 11

			Comparis	on of G	rowth an	nd Anen	nia Indi	cators		(3,4)		
		Birthweight	(5)			He	eight and V	Veight				•
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight ₍₇₎		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Alcona	119	5.0 (2)	7.6 (31)	597	3.9 (6)	3.9 (60)	11.2 (16)	271	17.7 (52)	11.8 (12)	361	13.3 (61)
Alger	111	6.3 (10)	8.1 (38)	634	4.3 (11)	1.6 (1)	14.4 (66)	305	20.0 (74)	18.4 (78)	397	7.6 (31)
Allegan	3,984	7.8 (40)	7.9 (33)	20,023	4.5 (15)	3.7 (55)	12.7 (37)	9,710	17.3 (44)	14.0 (38)	12,956	19.0 (73)
Alpena	517	10.3 (76)	9.5 (58)	2,459	6.7 (72)	3.1 (35)	13.5 (54)	1,154	17.2 (41)	15.1 (57)	1,527	9.7 (41)
Antrim	330	10.9 (79)	7.3 (23)	1,758	5.3 (30)	4.8 (75)	12.9 (42)	877	15.4 (13)	11.9 (13)	1,186	5.6 (21)
Arenac	282	9.6 (69)	9.6 (61)	1,677	6.8 (74)	3.1 (35)	13.4 (51)	889	19.6 (71)	15.5 (65)	1,132	4.4 (10)
Baraga	172	7.6 (36)	9.3 (54)	871	5.4 (33)	3.1 (35)	17.8 (82)	437	19.9 (73)	20.4 (81)	523	7.3 (28)
Barry	845	6.0 (5)	8.0 (34)	4,099	4.8 (20)	3.9 (60)	9.5 (6)	1,950	16.4 (23)	10.4 (7)	2,428	5.2 (16)
Bay	1,785	8.3 (50)	10.3 (69)	8,407	6.4 (63)	2.4 (16)	12.2 (28)	3,869	16.9 (31)	14.0 (38)	5,543	14.1 (64)
Benzie	264	10.2 (75)	10.2 (67)	1,482	5.2 (27)	4.9 (77)	13.6 (55)	742	15.1 (12)	15.2 (59)	985	6.1 (22)
Berrien	2,817	8.6 (58)	6.7 (13)	12,417	6.2 (55)	2.2 (9)	12.4 (34)	5,566	17.0 (37)	13.0 (22)	7,899	14.9 (67)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 27 Run Date: 3 / 26 / 11

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Branch	1,020	5.9 (4)	8.1 (38)	5,138	6.1 (54)	3.2 (42)	14.5 (68)	2,487	17.8 (54)	14.3 (41)	3,206	8.2 (34)
Calhoun	2,980	8.4 (56)	7.3 (23)	13,367	6.7 (72)	3.2 (42)	14.5 (68)	5,949	17.7 (52)	15.2 (59)	7,902	15.5 (68)
Cass	1,177	8.1 (46)	9.2 (53)	6,189	5.2 (27)	4.4 (70)	13.2 (46)	3,019	14.0 (5)	13.4 (26)	4,008	27.3 (82)
Charlevoix	336	8.0 (44)	7.1 (20)	1,853	5.4 (33)	4.0 (64)	12.3 (30)	953	17.0 (37)	11.4 (10)	1,295	4.3 (9)
Cheboygan	398	4.3 (1)	8.5 (49)	2,043	4.1 (9)	3.6 (52)	13.8 (57)	990	14.9 (10)	18.3 (77)	1,338	9.6 (39)
Chippewa	686	6.1 (7)	11.7 (78)	3,379	5.5 (36)	3.2 (42)	13.9 (58)	1,583	16.5 (24)	14.7 (50)	2,237	8.2 (34)
Clare	627	8.3 (50)	4.9 (2)	2,947	5.8 (43)	3.7 (55)	12.8 (40)	1,387	18.3 (61)	14.3 (41)	1,943	9.1 (38)
Clinton	633	7.0 (23)	9.6 (61)	3,002	6.4 (63)	2.6 (22)	14.5 (68)	1,351	16.1 (21)	15.6 (66)	1,939	6.3 (23)
Crawford	242	7.9 (43)	6.6 (10)	1,044	5.5 (36)	1.7 (2)	11.4 (18)	453	23.6 (83)	13.9 (35)	680	12.2 (57)
Delta	620	6.3 (10)	9.5 (58)	3,178	6.3 (59)	2.4 (16)	12.3 (30)	1,529	17.3 (44)	14.3 (41)	2,085	2.5 (1)
Dickinson	444	7.4 (31)	9.5 (58)	2,109	6.2 (55)	1.9 (5)	12.8 (40)	1,047	17.0 (37)	13.4 (26)	1,353	4.8 (13)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- 7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 28 Run Date: 3 / 26 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸۰۰	emia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Eaton	1,159	7.3 (28)	8.3 (44)	5,018	5.2 (27)	3.9 (60)	11.8 (22)	2,121	18.7 (64)	13.8 (33)	2,844	4.6 (11)
Emmet	517	9.1 (65)	11.8 (79)	2,792	5.6 (40)	2.5 (20)	13.3 (48)	1,380	19.1 (69)	14.3 (41)	1,907	3.9 (6)
Genesee	8,337	10.9 (79)	5.2 (3)	34,529	7.1 (75)	3.9 (60)	13.6 (55)	14,491	15.9 (15)	13.4 (26)	21,460	20.2 (75)
Gladwin	435	9.0 (64)	8.3 (44)	2,232	6.0 (48)	2.3 (11)	13.4 (51)	1,126	16.9 (31)	15.3 (62)	1,504	12.9 (60)
Gogebic	267	6.7 (16)	9.4 (56)	1,195	6.5 (67)	2.2 (9)	12.1 (27)	559	17.9 (58)	13.8 (33)	714	3.8 (5)
Gr Travers	1,341	7.3 (28)	10.1 (66)	6,249	5.5 (36)	5.7 (81)	11.6 (20)	2,998	16.5 (24)	12.5 (18)	3,750	9.6 (39)
Gratiot	711	7.6 (36)	7.5 (28)	3,806	6.5 (67)	3.1 (35)	14.5 (68)	1,845	16.7 (28)	15.1 (57)	2,359	5.5 (20)
Hillsdale	733	7.2 (26)	8.3 (44)	3,997	6.4 (63)	3.1 (35)	12.3 (30)	1,952	18.9 (67)	15.6 (66)	2,663	3.6 (3)
Houghton	560	6.1 (7)	10.7 (74)	2,729	6.4 (63)	2.8 (29)	10.0 (8)	1,324	15.6 (14)	9.7 (3)	1,542	5.3 (18)
Huron	579	6.9 (20)	10.5 (73)	2,738	4.4 (13)	4.2 (67)	11.7 (21)	1,304	17.3 (44)	12.0 (14)	1,592	10.2 (43)
Ingham	4,156	8.3 (50)	7.2 (22)	20,012	5.5 (36)	3.2 (42)	13.2 (46)	8,930	16.9 (31)	14.3 (41)	12,198	12.0 (54)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 29 Run Date: 3 / 26 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸۰۰	nemia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Ionia	1,157	6.6 (12)	6.0 (6)	5,405	5.8 (43)	3.8 (58)	11.8 (22)	2,540	21.3 (78)	13.3 (24)	3,729	11.3 (49)
losco	376	6.6 (12)	9.8 (63)	1,778	6.2 (55)	4.7 (74)	14.6 (73)	807	18.7 (64)	14.7 (50)	1,054	16.0 (69)
Iron	225	6.2 (9)	8.4 (48)	1,017	4.5 (15)	2.7 (26)	13.9 (58)	466	17.8 (54)	15.7 (68)	675	4.7 (12)
Isabella	1,019	8.8 (61)	7.5 (28)	4,620	7.1 (75)	2.7 (26)	12.7 (37)	2,024	16.7 (28)	16.4 (73)	2,887	6.9 (24)
Jackson	3,277	8.3 (50)	8.1 (38)	14,363	4.9 (22)	5.2 (79)	10.4 (9)	6,309	17.0 (37)	13.2 (23)	6,266	10.4 (46)
Kalamazoo	4,261	10.0 (74)	6.7 (13)	19,818	5.4 (33)	4.9 (77)	13.9 (58)	9,209	16.9 (31)	14.3 (41)	12,723	24.1 (80)
Kalkaska	336	9.8 (72)	8.0 (34)	1,570	6.5 (67)	3.2 (42)	9.0 (4)	715	13.7 (4)	11.2 (9)	1,044	12.7 (59)
Kent	11,981	8.5 (57)	8.1 (38)	60,017	6.3 (59)	2.3 (11)	13.9 (58)	28,366	16.9 (31)	14.9 (53)	39,432	13.3 (61)
Lake	176	9.7 (70)	8.0 (34)	935	6.3 (59)	1.8 (4)	14.2 (63)	485	20.2 (75)	14.4 (47)	637	14.3 (66)
Lapeer	1,454	8.7 (60)	8.1 (38)	6,801	8.1 (82)	3.0 (32)	14.4 (66)	3,145	18.3 (61)	16.2 (72)	4,156	11.3 (49)
Leelanau	165	5.5 (3)	15.8 (81)	825	3.9 (6)	3.4 (49)	16.0 (77)	428	20.3 (76)	15.4 (63)	561	7.5 (30)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 30 Run Date: 3 / 26 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸۰۰	omio
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lenawee	1,458	8.6 (58)	6.9 (18)	6,490	7.9 (81)	4.5 (72)	13.4 (51)	2,778	18.1 (60)	15.7 (68)	3,535	7.7 (32)
Livingston	1,304	7.3 (28)	10.4 (71)	5,471	5.0 (24)	3.6 (52)	10.4 (9)	2,372	18.7 (64)	14.8 (52)	3,483	5.0 (14)
Luce	170	8.2 (47)	10.0 (65)	786	4.2 (10)	3.8 (58)	14.0 (62)	373	21.7 (80)	17.2 (75)	519	11.8 (52)
Mackinac	120	7.5 (33)	12.5 (80)	698	3.4 (4)	2.1 (7)	14.2 (63)	374	23.3 (82)	16.6 (74)	471	10.2 (43)
Macomb	9,439	9.4 (67)	6.2 (8)	34,608	5.8 (43)	2.7 (26)	13.1 (45)	12,686	15.9 (15)	12.9 (21)	20,991	17.2 (71)
Manistee	351	8.0 (44)	7.4 (26)	1,645	6.0 (48)	2.6 (22)	12.6 (36)	766	21.4 (79)	16.1 (71)	1,089	7.4 (29)
Marquette	911	7.5 (33)	8.3 (44)	4,042	4.6 (17)	2.0 (6)	13.3 (48)	1,852	19.2 (70)	13.7 (31)	2,338	8.8 (36)
Mason	579	7.8 (40)	7.6 (31)	2,636	6.5 (67)	2.1 (7)	11.9 (25)	1,249	20.9 (77)	15.4 (63)	1,745	12.1 (55)
Mecosta	794	7.4 (31)	10.3 (69)	3,621	4.3 (11)	2.8 (29)	9.8 (7)	1,695	17.9 (58)	10.2 (4)	2,312	11.9 (53)
Menominee	321	7.2 (26)	7.5 (28)	1,447	4.8 (20)	2.6 (22)	13.3 (48)	656	17.5 (50)	14.6 (49)	927	4.0 (7)
Midland	1,232	8.8 (61)	8.0 (34)	5,352	7.8 (80)	2.6 (22)	17.0 (80)	2,447	16.6 (27)	14.5 (48)	3,052	7.2 (26)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 31 Run Date: 3 / 26 / 11

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Missaukee	161	7.5 (33)	8.1 (38)	835	3.1 (2)	1.7 (2)	8.9 (3)	388	16.5 (24)	10.3 (6)	559	16.6 (70)
Monroe	2,187	8.2 (47)	7.4 (26)	9,062	7.3 (78)	2.4 (16)	12.4 (34)	3,664	17.4 (48)	13.7 (31)	5,363	9.0 (37)
Montcalm	1,120	6.9 (20)	7.1 (20)	5,494	6.0 (48)	3.0 (32)	12.0 (26)	2,591	17.3 (44)	12.3 (15)	3,576	5.0 (14)
Montmorenc	121	8.3 (50)	5.8 (5)	688	6.0 (48)	4.1 (65)	16.6 (78)	366	16.9 (31)	21.6 (82)	442	5.2 (16)
Muskegon	4,567	9.1 (65)	6.6 (10)	20,280	4.6 (17)	4.4 (70)	11.4 (18)	9,572	16.0 (19)	12.3 (15)	12,834	19.9 (74)
Newaygo	1,044	6.6 (12)	9.9 (64)	5,563	6.0 (48)	2.8 (29)	14.3 (65)	2,822	17.2 (41)	15.2 (59)	3,699	11.5 (51)
Oakland	11,254	9.7 (70)	6.8 (15)	48,188	5.6 (40)	3.3 (47)	11.3 (17)	20,460	16.0 (19)	13.6 (30)	30,495	14.2 (65)
Oceana	673	8.2 (47)	8.8 (51)	3,621	6.5 (67)	2.3 (11)	15.7 (74)	1,845	22.0 (81)	19.5 (79)	2,504	10.2 (43)
Ogemaw	372	6.7 (16)	11.3 (75)	1,756	6.0 (48)	2.3 (11)	15.8 (75)	804	19.0 (68)	17.7 (76)	1,118	10.1 (42)
Ontonagon	68	* *	* *	433	7.2 (77)	2.5 (20)	17.1 (81)	241	17.8 (54)	14.9 (53)	274	3.6 (3)
Osceola	455	6.8 (19)	11.6 (77)	2,203	4.9 (22)	3.4 (49)	10.5 (11)	1,085	15.9 (15)	13.4 (26)	1,510	20.7 (76)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 32 Run Date: 3 / 26 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight			۸۰	iemia
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Oscoda	117	9.4 (67)	8.5 (49)	614	5.0 (24)	3.4 (49)	12.9 (42)	302	15.9 (15)	12.6 (19)	404	7.9 (33)
Otsego	441	6.6 (12)	10.2 (67)	2,424	4.7 (19)	3.0 (32)	12.9 (42)	1,207	17.4 (48)	13.9 (35)	1,650	5.3 (18)
Ottawa	1,508	7.0 (23)	10.4 (71)	7,448	4.0 (8)	3.6 (52)	10.8 (14)	3,664	14.5 (7)	10.2 (4)	4,719	24.4 (81)
Presque Is	135	6.7 (16)	8.9 (52)	732	2.5 (1)	4.2 (67)	10.7 (13)	384	14.3 (6)	13.3 (24)	469	10.4 (46)
Roscommon	364	6.0 (5)	6.0 (6)	1,816	7.3 (78)	2.3 (11)	12.7 (37)	836	17.6 (51)	14.2 (40)	1,214	6.9 (24)
Saginaw	4,261	10.4 (77)	6.4 (9)	19,421	5.3 (30)	3.1 (35)	14.5 (68)	9,600	18.4 (63)	15.0 (55)	13,439	13.5 (63)
Sanilac	722	7.6 (36)	4.8 (1)	3,370	3.6 (5)	5.5 (80)	7.1 (1)	1,548	11.3 (1)	8.6 (2)	2,272	3.5 (2)
Schoolcraf	148	10.8 (78)	11.5 (76)	771	3.1 (2)	10.5 (83)	7.3 (2)	362	13.5 (3)	8.3 (1)	491	12.6 (58)
Shiawassee	1,201	7.0 (23)	6.8 (15)	5,709	4.4 (13)	6.2 (82)	12.2 (28)	2,769	16.8 (30)	16.0 (70)	3,857	4.1 (8)
St Clair	2,561	8.9 (63)	6.6 (10)	11,459	5.9 (46)	4.5 (72)	10.9 (15)	5,132	14.7 (9)	11.4 (10)	7,617	12.1 (55)
St Joseph	1,488	6.9 (20)	7.3 (23)	7,328	6.3 (59)	4.3 (69)	15.9 (76)	3,443	19.6 (71)	19.8 (80)	4,696	10.8 (48)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 33 Run Date: 3 / 26 / 11

	_	(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight ₍₇₎		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% □ <u>></u> 95th (Rank)	Number	% (Rank)
Tuscola	965	8.3 (50)	7.0 (19)	4,714	5.9 (46)	3.7 (55)	9.4 (5)	2,266	14.6 (8)	10.4 (7)	3,178	7.2 (26)
Van Buren	1,665	7.7 (39)	9.4 (56)	8,490	5.6 (40)	3.3 (47)	16.7 (79)	4,108	17.8 (54)	15.0 (55)	5,536	23.7 (79)
Washtenaw	3,553	9.9 (73)	6.8 (15)	15,661	5.0 (24)	4.1 (65)	11.8 (22)	6,628	16.3 (22)	12.8 (20)	9,584	23.0 (78)
Wayne	40,208	11.4 (81)	5.5 (4)	166,420	6.2 (55)	4.8 (75)	12.3 (30)	69,575	14.9 (10)	12.4 (17)	93,139	20.9 (77)
Wexford	912	7.8 (40)	9.3 (54)	4,208	5.3 (30)	2.4 (16)	10.5 (11)	1,959	17.2 (41)	13.9 (35)	2,777	17.5 (72)
Unknown Counties	62	* *	* *	389	11.3 (83)	3.1 (35)	27.2 (83)	120	12.5 (2)	33.3 (83)	564	51.1 (83)
Michigan	162,623	9.3	7.0	727,012	5.9	3.7	12.7	324,031	16.5	13.6	447,062	15.4



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 26 / 11 Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and	d Sm	oking i	n Housel	nold (4,	5)		
			Breastfe	•				Exclu	ısive B	reastfeedir	ng	≤2 Hou Viewin		Smoki House	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le Mo	% astfed at ast ast anths	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Alcona	192	64.1 (26)	142	21.1 (26)	110	13.6 (13)	110	26.4	(8)	106	6.6 (48)	186	87.1 (43)	249	8.4 (40)
Alger	180	42.8 (81)	121	8.3 (81)	106	9.4 (43)	84	*	*	79	* *	193	91.7 (8)	244	6.6 (24)
Allegan	5,690	64.1 (26)	4,442	20.1 (30)	4,045	9.7 (38)	3,029	19.4	(34)	3,070	7.2 (43)	7,135	84.9 (56)	9,138	4.4 (3)
Alpena	736	44.0 (78)	638	17.9 (44)	553	11.8 (19)	448	17.0	(46)	448	8.0 (35)	744	93.1 (5)	983	7.2 (32)
Antrim	467	74.7 (3)	400	21.8 (19)	361	13.9 (11)	260	28.1	(5)	254	11.4 (9)	575	90.1 (18)	703	12.8 (73)
Arenac	418	57.7 (55)	354	18.9 (36)	313	10.5 (27)	210	15.2	(53)	209	8.1 (31)	642	84.4 (60)	710	15.5 (77)
Baraga	239	54.4 (64)	206	14.6 (64)	181	7.7 (63)	145	20.7	(24)	148	8.1 (31)	301	89.7 (24)	352	5.7 (17)
Barry	1,110	59.5 (48)	1,005	17.3 (53)	764	8.4 (58)	779	18.6	(37)	810	6.4 (49)	1,593	86.4 (49)	1,958	6.4 (22)
Bay	2,496	56.0 (60)	2,018	14.0 (71)	1,599	6.5 (73)	1,329	13.1	(65)	1,275	3.6 (71)	2,624	91.3 (10)	3,498	9.1 (51)
Benzie	381	67.2 (13)	325	22.8 (14)	287	10.5 (27)	227	23.8	(13)	224	10.7 (12)	489	88.5 (31)	597	4.7 (7)
Berrien	3,891	48.4 (75)	3,263	14.1 (70)	2,674	8.8 (49)	2,141	12.9	(66)	2,197	5.6 (61)	4,071	77.3 (79)	5,719	11.0 (67)
Branch	1,396	59.0 (50)	1,164	18.6 (41)	940	9.4 (43)	904	17.0	(46)	906	7.7 (38)	1,827	85.3 (54)	2,265	9.0 (48)
Calhoun	3,739	51.1 (69)	2,976	11.9 (77)	2,340	5.2 (79)	2,421	8.6	(75)	2,378	3.5 (72)	4,723	89.6 (25)	6,191	6.5 (23)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 26 / 11 Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	ı, and	d Sm	oking i	in Housel	nold (4,5	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeed (7)	ing	≤2 Hou Viewing (8)		Smok Hous	ing in ehold
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le	% stfed t ast ast hths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ınk)		(Rank)		(Rank)		(Rank)
Cass	1,725	61.9 (36)	1,501	21.9 (18)	1,222	13.7 (12)	972	17.6	(43)	950	8.9 (24)	2,215	83.7 (65)	2,788	7.2 (32)
Charlevoix	508	73.8 (5)	413	31.2 (3)	364	17.0 (4)	284	32.7	(1)	284	9.9 (15)	620	89.4 (27)	747	6.3 (21)
Cheboygan	566	61.0 (43)	455	22.0 (17)	374	12.3 (18)	289	19.7	(31)	265	6.0 (55)	651	87.9 (37)	800	7.0 (29)
Chippewa	977	61.0 (43)	776	22.4 (16)	640	11.3 (21)	526	22.1	(20)	496	9.5 (17)	1,035	88.5 (31)	1,344	8.8 (46)
Clare	867	50.4 (70)	695	13.2 (75)	648	7.4 (65)	461	13.7	(59)	480	3.3 (74)	1,022	88.2 (36)	1,298	15.6 (78)
Clinton	919	65.3 (18)	830	21.8 (19)	610	14.4 (10)	548	19.7	(31)	558	7.9 (37)	949	86.5 (48)	1,274	5.0 (9)
Crawford	324	63.0 (31)	224	14.7 (62)	205	8.8 (49)	132	13.6	(61)	131	6.1 (52)	303	87.1 (43)	421	9.3 (52)
Delta	913	61.2 (41)	779	18.6 (41)	639	8.6 (53)	473	13.7	(59)	456	6.1 (52)	1,000	92.3 (6)	1,282	6.9 (28)
Dickinson	612	62.9 (32)	512	23.6 (13)	423	10.6 (26)	336	25.0	(9)	356	8.4 (27)	649	89.1 (28)	815	5.5 (15)
Eaton	1,451	67.0 (14)	1,205	21.2 (22)	946	9.7 (38)	956	16.7	(48)	968	6.7 (47)	1,691	87.2 (40)	2,339	5.0 (9)
Emmet	735	72.1 (7)	627	24.4 (12)	504	13.1 (14)	322	27.3	(7)	328	13.7 (3)	867	91.6 (9)	1,089	5.3 (12)
Genesee	11,795	43.2 (80)	9,127	9.4 (79)	6,646	4.4 (80)	6,245	8.8	(74)	6,078	2.9 (75)	9,699	80.3 (75)	14,780	7.1 (31)
Gladwin	603	61.9 (36)	499	18.4 (43)	445	10.3 (30)	270	23.0	(17)	287	9.4 (18)	798	85.1 (55)	943	17.1 (79)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date: 3 / 26 / 11

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	յ, and	d Sm	oking	in Housel	nold (4,5	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeed (7)	ling	≤2 Hou Viewin		Smoki House	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le ; Moi	ast 3	Numbe	r % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Gogebic	398	58.8 (52)	301	18.9 (36)	225	7.1 (68)	212	`	(22)	220	7.7 (38)	391	89.8 (23)	498	8.2 (39)
Gr Travers	1.854	80.2 (1)	1.482	32.8 (2)	1,243	20.1 (2)	922	30.6	(2)	966	11.7 (8)	1.894	89.9 (20)	2,566	4.5 (4)
Gratiot	1,080	61.7 (39)	941	22.6 (15)	721	11.2 (22)	618	22.2		631	10.5 (13)	1,325	92.2 (7)	1,650	6.2 (20)
Hillsdale	1,058	65.1 (20)	928	21.4 (21)	730	10.1 (32)	716	24.2	-	718	13.2 (5)	1,469	88.4 (33)	1,830	7.4 (34)
Houghton	812	72.7 (6)	645	36.6 (1)	462	18.4 (3)	471	28.0	(6)	449	12.2 (7)	880	96.6 (1)	1,090	1.3 (1)
Huron	821	52.6 (67)	650	14.2 (69)	473	7.0 (69)	477	16.6	(49)	463	5.8 (58)	851	93.9 (3)	1,141	7.6 (37)
Ingham	5,473	62.6 (33)	4,834	20.1 (30)	3,754	11.4 (20)	3,773	11.4	(70)	3,814	5.2 (65)	6,901	80.9 (73)	9,780	5.9 (18)
Ionia	1,632	53.7 (65)	1,304	15.5 (57)	1,104	9.3 (46)	825	19.9	(30)	853	10.9 (11)	1,793	96.3 (2)	2,333	8.5 (42)
losco	554	53.1 (66)	436	14.4 (66)	336	6.8 (70)	267	12.0	(68)	260	2.7 (77)	529	84.3 (61)	721	9.0 (48)
Iron	319	60.2 (45)	230	20.4 (29)	207	10.1 (32)	178		(11)	177	9.6 (16)	295	91.2 (11)	402	7.5 (36)
Isabella	1,512	66.7 (16)	1,241	20.9 (27)	980	9.8 (37)	778		(21)	792	9.2 (21)	1,465	84.8 (58)	2,046	10.2 (62)
Jackson	4,156	55.8 (61)	3,577	14.9 (61)	2,843	6.6 (72)	2,846	13.4		2,943	5.3 (64)	5,038	83.7 (65)	6,671	8.8 (46)
Kalamazoo	6,008	58.2 (54)	4,801	18.7 (39)	3,869	10.0 (35)	3,381	17.4	. ,	3,215	8.4 (27)	6,675	73.9 (81)	8,730	7.9 (38)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 26 / 11 Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	j, and	d Sm	oking i	n Housel	nold (4,	5)			
County			Breastfe	eding				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewin			Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbe	Brea A Le Mo	% astfed ast ast anths ank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)	
Kalkaska	473	74.2 (4)	354	26.3 (7)	303	16.5 (6)	185	29.2	(3)	187	16.0 (1)	487	89.9 (20)	650	14.3 (75)	
Kent	16,806	61.9 (36)	14,597	20.5 (28)	11,554	11.1 (23)	9,768	12.4	(67)	9,737	7.0 (45)	20,866	85.6 (53)	26,457	4.5 (4)	
Lake	255	56.1 (58)	210	14.3 (68)	189	5.8 (77)	150	14.0	(57)	159	5.7 (60)	315	76.8 (80)	377	18.6 (80)	
Lapeer	2,086	59.7 (47)	1,597	17.5 (49)	1,269	11.0 (24)	1,155	15.1	(54)	1,152	5.9 (57)	2,136	88.3 (35)	2,831	7.0 (29)	
Leelanau	237	77.6 (2)	165	29.1 (4)	135	25.2 (1)	91	*	*	88	* *	284	86.3 (50)	354	6.8 (25)	
Lenawee	2,212	59.2 (49)	1,764	19.1 (35)	1,384	8.2 (60)	1,295	14.4	(55)	1,266	4.7 (67)	1,977	81.1 (72)	2,903	5.4 (13)	
Livingston	1,885	65.1 (20)	1,223	19.5 (34)	1,154	10.3 (30)	864	20.5	(27)	885	7.0 (45)	1,685	90.0 (19)	2,530	5.5 (15)	
Luce	250	63.6 (28)	201	17.4 (50)	151	9.9 (36)	126	18.3	(42)	130	9.2 (21)	233	86.3 (50)	316	10.4 (63)	
Mackinac	173	71.1 (9)	164	25.0 (10)	150	12.7 (15)	93	*	*	109	13.8 (2)	267	87.3 (39)	288	10.4 (63)	
Macomb	13,235	50.3 (71)	9,604	15.2 (59)	7,878	7.6 (64)	7,058	11.7	(69)	6,683	5.0 (66)	9,386	81.7 (70)	15,916	5.4 (13)	
Manistee	489	64.2 (24)	391	17.4 (50)	351	8.5 (56)	233	18.5	(38)	232	6.0 (55)	515	90.9 (13)	669	8.5 (42)	
Marquette	1,279	64.9 (22)	1,031	25.2 (9)	866	16.2 (7)	723	23.4	(15)	737	10.3 (14)	1,206	90.5 (16)	1,641	4.7 (7)	
Mason	810	56.5 (56)	571	21.2 (22)	516	9.5 (41)	425	23.1	(16)	400	9.3 (20)	838	87.8 (38)	1,080	9.5 (56)	

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 26 / 11 Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	j, and	d Sm	oking i	n Housel	nold (4,	5)		
County			Breastfe	eeding 6)				Exclu	isive B	reastfeedir (7)	ng	≤2 Hou Viewin		Smok Hous	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le Mo	ast 3 nths	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Mecosta	1,089	62.4 (34)	849	19.8 (33)	689	9.6 (40)	611	20.6	(25)	610	11.1 (10)	1,101	93.6 (4)	1,469	7.4 (34)
Menominee	457	54.5 (63)	340	13.5 (74)	308	6.5 (73)	268	15.7	(51)	259	6.2 (51)	405	89.6 (25)	562	6.0 (19)
Midland	1,717	68.2 (11)	1,273	17.6 (48)	1,130	10.4 (29)	822	23.6	(14)	879	9.0 (23)	1,741	88.6 (30)	2,324	5.1 (11)
Missaukee	240	71.3 (8)	218	18.8 (38)	177	12.4 (16)	132	22.7	(18)	138	8.0 (35)	269	90.7 (14)	339	10.9 (66)
Monroe	3,209	54.8 (62)	2,737	14.4 (66)	2,059	7.3 (66)	1,914	14.0	(57)	1,886	6.1 (52)	2,938	82.6 (69)	4,330	9.4 (53)
Montcalm	1,657	61.2 (41)	1,325	18.7 (39)	1,060	8.1 (62)	879	20.3	(28)	908	8.1 (31)	1,810	87.1 (43)	2,415	9.4 (53)
Montmorenc	177	62.1 (35)	154	16.9 (54)	126	9.5 (41)	108	19.4	(34)	112	5.4 (63)	248	84.3 (61)	271	11.4 (69)
Muskegon	6,115	48.6 (74)	4,546	13.2 (75)	4,256	6.3 (75)	3,287	13.3	(64)	3,231	4.1 (69)	6,794	84.9 (56)	8,890	8.7 (45)
Newaygo	1,528	64.2 (24)	1,216	20.1 (30)	1,098	10.1 (32)	838	19.7	(31)	848	7.2 (43)	2,018	84.5 (59)	2,342	9.6 (58)
Oakland	16,221	50.0 (72)	12,756	17.9 (44)	9,042	9.4 (43)	9,351	14.1	(56)	9,012	6.3 (50)	14,133	81.6 (71)	21,166	4.5 (4)
Oceana	970	63.3 (30)	767	26.3 (7)	712	14.6 (9)	530	17.4	(44)	521	8.1 (31)	1,250	80.2 (76)	1,478	8.5 (42)
Ogemaw	550	56.2 (57)	438	15.3 (58)	330	7.3 (66)	255	18.4	(39)	250	5.6 (61)	564	82.8 (68)	733	11.9 (71)
Ontonagon	97	* *	91	* *	78	* *	56	*	*	61	* *	156	78.2 (78)	168	11.9 (71)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 26 / 11 Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	j, and	d Sm	oking i	n Housel	nold (4,	5)			
County			Breastfe	eeding 6)				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewin			Smoking in Household	
	Number	% Ever Breastfed	Number	Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Numbe	Breastfed At Least 3 Months		Number	Breastfed At Least 6 Months	Number	%	Number	%	
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)	
Osceola	643	63.6 (28)	515	17.9 (44)	440	8.2 (60)	373	20.6	(25)	363	8.3 (29)	786	90.3 (17)	951	13.9 (74)	
Oscoda	166	51.2 (68)	140	6.4 (82)	122	5.7 (78)	105	9.5	(73)	99	* *	177	78.5 (77)	241	23.2 (83)	
Otsego	672	67.0 (14)	552	21.2 (22)	467	10.7 (25)	379	24.8	(10)	372	9.4 (18)	803	89.9 (20)	1,022	11.8 (70)	
Ottawa	2,116	67.5 (12)	1,622	27.2 (6)	1,538	12.4 (16)	1,154	28.9	(4)	1,188	13.5 (4)	2,776	90.7 (14)	3,431	3.8 (2)	
Presque Is	180	56.1 (58)	147	24.5 (11)	119	16.0 (8)	82	*	*	74	* *	250	87.2 (40)	290	20.7 (81)	
Roscommon	544	65.3 (18)	469	17.7 (47)	418	9.3 (46)	299	18.4	(39)	318	8.5 (26)	577	88.4 (33)	759	11.1 (68)	
Saginaw	5,900	45.7 (77)	4,131	9.1 (80)	3,574	4.2 (81)	2,949	7.5	(76)	2,863	3.7 (70)	6,397	80.6 (74)	8,157	9.8 (60)	
Sanilac	1,010	58.5 (53)	814	13.9 (72)	618	6.8 (70)	554	16.6	(49)	556	5.8 (58)	989	84.0 (63)	1,397	9.6 (58)	
Schoolcraf	222	50.0 (72)	191	15.2 (59)	178	8.4 (58)	135	15.6	(52)	140	8.6 (25)	233	87.1 (43)	310	14.5 (76)	
Shiawassee	1,678	58.9 (51)	1,365	14.7 (62)	1,189	8.7 (51)	811	10.7	(71)	859	2.8 (76)	1,926	91.1 (12)	2,477	10.0 (61)	
St Clair	3,603	48.2 (76)	2,981	11.7 (78)	2,392	5.9 (76)	1,898	10.2	(72)	1,962	4.5 (68)	3,483	86.7 (47)	4,744	10.4 (63)	
St Joseph	2,082	61.7 (39)	1,689	16.5 (55)	1,435	8.6 (53)	1,131	13.5	(62)	1,146	7.5 (40)	2,535	85.9 (52)	3,251	6.8 (25)	
Tuscola	1,391	59.8 (46)	1,086	16.2 (56)	912	8.7 (51)	641	18.4	(39)	671	7.5 (40)	1,529	84.0 (63)	1,899	8.4 (40)	

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

3 / 26 / 11

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and	l Sm	oking i	n Housel	nold (4,	5)		
	Breastfeeding (6)							Exclu	sive B	reastfeedii	ng	≤2 Hours TV Viewing/Day (8)		Smoki House	•
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Lea	t ast 3	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	nk)		(Rank)		(Rank)		(Rank)
Van Buren	2,296	64.8 (23)	1,903	21.2 (22)	1,597	9.3 (46)	1,301	20.1	(29)	1,275	8.3 (29)	3,062	87.2 (40)	3,799	6.8 (25)
Washtenaw	5,338	65.9 (17)	4,211	28.0 (5)	3,113	16.6 (5)	2,833	21.0	(23)	2,722	12.6 (6)	4,883	83.6 (67)	7,187	9.5 (56)
Wayne	57,694	43.3 (79)	40,780	14.6 (64)	33,459	8.6 (53)	30,637	7.3	(77)	29,904	3.4 (73)	48,539	72.2 (82)	73,793	9.0 (48)
Wexford	1,298	70.6 (10)	1,040	17.4 (50)	832	8.5 (56)	724	19.3	(36)	728	7.4 (42)	1,322	88.8 (29)	1,732	9.4 (53)
Unknown Counties	369	16.3 (82)	147	13.6 (73)	66	* *	98	*	*	86	* *	153	50.3 (83)	219	21.9 (82)
Michigan	230,026	53.4	178,432	2 17.0	144,320	9.1	126,686	3 13.	3	125,048	5.8	230,150	82.0	320,143	7.5



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.